



Section 1 Identification

Product Identifier	Ultralite Mastic
Synonyms	Mastic
Product Code(s)	730 PMULST
UN Number	None allocated
Manufacturer	<p>Petro Coating Systems Limited 231 King Street, Barrie, Ontario, L4N 6B5. Canada www.galaxyplastics.com</p> <p>Business 705-722-3935 Facsimile 1-877-269-2468 Toll Free 1-888-431-0511</p>
Recommended Use	<p>Void filler for use with corrosion protection tape. This product is part of a corrosion protection system. It is considered to be of low toxicity and have an extended life as a function system when buried in soil. This product may be used above or below ground.</p>
SDS Issue Date	January 1, 2019

Section 2 Hazard identification

Physical Hazards	Not Classified
Health Hazards	Not Classified
Environmental Hazards	Not Classified
Label Elements Hazard Symbol Signal Word Hazard Statement Precautionary Statements Prevention Response Storage Disposal Other Hazards Supplemental Information	<p>None None The product does not meet the criteria for classification.</p> <p>Observe good industrial hygiene practices. Wash thoroughly after handling. Keep dry and away from extreme heat. Disposal should be in accordance with local state and federal regulations. This product is not a hazardous waste.</p> <p>None known None</p>

Section 3 Composition/information on ingredients

Exposure limits for individual ingredients of these products are as follows:

730/PMULST	UltraLite Standard Mastic Block
700/WAX422	Slack Wax 422 (1.2231KG)
700/SOLPAR100	Solpar 100 (.7692LT)
700/MB	Expanded Bead, 1.50 PCF, T170 10 Cubic Ft (0.1526LBS)

Inhalation	Not expected to be a problem. Remove patient to fresh air.
Skin Contact	Wash skin with warm water and mild soap.
Eye Contact	Flush eyes with water until relieved, seek medical advice.
Ingestion	If uncomfortable, seek medical advice.
Symptoms	Skin irritation may occur with prolonged and repeated contact.
Special Medical Treatment	These products are not normally considered to be hazardous to health. Treat symptomatically.
General Information	

Section 5 Fire-fighting measures

Not flammable and hard to ignite under normal conditions of use, but will burn fiercely in a fire.

Dangerous Decomposition Products:

May produce toxic fumes of carbon monoxide if burned in confined space.

Fire Extinguishers: Use dry chemical, carbon dioxide or foam. Water may be ineffective but should be used to keep fire exposed products cool. Precautions: Use self-contained breathing apparatus in enclosed areas.

Section 6 Accidental release measures

Keep unnecessary personnel away.

Confine spilled material to a small area. Scrape or shovel material into a suitable container for disposal.

If required, clean up area with a proprietary degreasing cleaner. Disposal should be in accordance with local state and federal regulations. This product is not a hazardous waste.

Section 7 Handling and storage

No special storage or transport requirements are necessary. Containers should be kept closed in or to minimize contamination. Keep dry and away from extreme heat.

Section 8 Exposure controls/personal protection

Respiratory Protection	Not required
Glove Type	Grease resistant should be worn
Eye Protection	Use goggles or safety glasses
Clothing	Clean overalls should be worn
Footwear	Safety boots should be worn

Section 9 Physical and chemical properties

Appearance	Brown moldable filler
Boiling Point	Not Applicable
Melting Point	Saturant 140°F
Vapor Pressure	Not Applicable
Specific Gravity	1.05
Flashpoint	464°F Clevedon Open Cup
Flammable Limits	Not Applicable
Solubility in water	Negligible
Corrosiveness	Non-Corrosive
Oxidizing Properties	Neutral
Odor Threshold	Not Applicable
Vapor Density	Not Applicable
Evaporative Rate	Not Applicable
PH	Neutral
Solubility in organic solvents	Soluble
Percent Volatiles	None
ASTM	ASTM D92-85

Section 10 Stability and reactivity

Reactivity with common substances	None Known
Auto ignition temperature	Not Applicable

Section 11 Toxicological information

Ventilation should be adequate to capture the material at source and ensure that the working environment is below the TLV.

Section 12 Ecological information

This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large and frequent spills can have a harmful or damaging effect on the environment.

Section 13 Disposal consideration

If required, clean up area with a proprietary degreasing cleaner. Disposal should be in accordance with local state and federal regulations. This product is not a hazardous waste.

Section 14 Transport information

This product is not regulated as dangerous goods. No special storage or transport requirements are necessary. Containers should be kept closed in or to minimize contamination. Keep dry and away from extreme heat.

Section 15 Regulatory information

Canadian Regulations: this product contains all necessary information required for the SDS.

International Regulations: not applicable.

Section 16 Other information

Issue date: January 1, 2019

Revision date: January 1, 2019

Version number: 01

Disclaimer: This safety data sheet is offered for your information only. We believe the statements, technical information and recommendations contained herein are reliable, but are given without warranty or guarantee of any kind, expressed or implied. Petro Coating Systems Ltd. assumes no responsibility for any loss, damage or expense, direct or consequential, arising from the use of material. It is the responsibility of the user to determine the suitability and completeness of such information for the required use or application. It is the user's obligation to utilize this material in full compliance with all health, safety and environmental regulations.